Starter Kit

FOR VITIROVER CUSTOMERS

TAKE
IN HAND
YOUR
AUTONOMOUS
MOWING
SOLUTION



VITIROVER
SOLUTIONS

VITIROVER
SOLUTIONS

Vitirover thanks you for your confidence.

By choosing our robotic solution, you are taking part in an innovative approach to more ecological, sustainable and reasoned management of your grassed areas.

Every robot we put into service helps to reduce the environmental footprint of our maintenance practices, while at the same time enhancing the value of technology in the service of the living world.

VITIROVER
SOLUTIONS

VITIROVER SOLUTIONS

What your kit contains

Battery key

Information about your robot

Useful documents: Robot manual, videos and tutorials

Customer support contact

Start-up checklist

Discover your solution:

Video: ‘First steps with Vitirover’


Access to the **VitiCloud**

Maintenance **schedule**

Direct **after-sales** contact







VITIROVER
SOLUTIONS

Information about the robot

GPS navigation

Supervision by VitiCloud

Autonomous battery management

Robot Specifications

DIMENSIONS (L X W X H)	78 x 40 x 30
WEIGHT	23 kg
BATTERY TYPE	Lithium-ion
CONSUMPTION	1 W/kg
AUTONOMOUS	Yes
MAX. SPEED	900 m/h - 0,55 MPH
MOTOR WHEELS	4 x 4
NOISE LEVEL	40 dBA
MAXIMUM SLOPE (DEPENDING ON SOIL TYPE)	15%
WEB INTERFACE	Yes (VitiCloud)
MOWING BLOC	2 mulchers
MOWING HEIGHT	7 à 11 cm
MOWING WIDTH	30 cm
PRECISION AT THE OBSTACLE	1 cm
POWER SUPPLY	Solar Panel
DOCKING STATION	Solar / Main-cector
GEOLOCATION (GNSS)	GPS, GLONASS, BEIDOU, GALILEO
GEOLOCATION (RTK)	Yes (optional)
ANTI-THEFT SECURITY	Stand-alone tracker

VITIROVER SOLUTIONS

Start-up checklist

- [ ] **Safety checks :**

  - Check that all the components have not been shocked or damaged during transport
  - Check that the
  - Check the Gyro-shredder connectors ? the Battery connector ?
  - Check that the main switch is operating correctly

- [ ] **Basic operation :**

  - How the robot is switched on
  - Operating modes


VITIROVER
SOLUTIONS

Tutorials

VitiCloud



Mechanics



VITIROVER
SOLUTIONS

Contact

After-sales contact: sav@vitirover.com

Website: https://vitirover.fr

Linkedin: https://www.linkedin.com/company/vitirover

Sales contact: info@vitirover.com





